

musc

Based on Agency For Healthcare Research And Quality Measures

Hospital Name
MUSC MEDICAL CENTER
BON SECOURS-ST FRANCIS XAVIER HOSPITAL
TRIDENT MEDICAL CENTER
ROPER HOSPITAL
EAST COOPER MEDICAL CENTER
MOUNT PLEASANT HOSPITAL

Death from serious treatable complications after surgery	
No Different than U.S. National Rate	
No Different than U.S. National Rate	
No Different than U.S. National Rate	
No Different than U.S. National Rate	
No Different than U.S. National Rate	
Not Available	

Collapsed lung due to medical treatment

No Different than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

Breathing failure after surgery

No Different than U.S. National Rate

Better than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

Not Available

Number of Cases Too Small

Serious blood clots after surgery

No Different than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

A wound that splits open after surgery

No Different than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

Number of Cases Too Small

Accidental cuts and tears from medical treatment

No Different than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

Serious Complications

No Different than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

No Different than U.S. National Rate

Death after surgery to repair a weakness in the abdominal aorta

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Deaths after admission for broken hip

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Deaths from Certain Conditions

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Rate - Death from serious treatable complications after surgery

100.42

89.16

141.64

142.62

97.84

Not Available

musc

Based on Agency For Healthcare Research And Quality Measures

Rate - Collapsed lung due to medical treatment	
0.27	
0.32	
0.32	
0.21	
0.36	
0.34	

Rate - Breathing failure after surgery

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

musc

Based on Agency For Healthcare Research And Quality Measures

Rate - Serious blood clots after surgery	
4.52	
4.20	
3.87	
5.15	
3.28	
4.31	

musc

Based on Agency For Healthcare Research And Quality Measures

Rate - A wound that splits open after surgery	
0.77	
1.30	
0.75	
1.76	
0.65	
Not Available	

Rate - Accidental cuts and tears from medical treatment

1.88

1.62

1.41

1.38

2.01

1.86

musc

Based on Agency For Healthcare Research And Quality Measures

Rate - Serious Complications

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available

Rate - Death after surgery to repair a weakness in the abdominal aorta

Not Available

Not Available

Not Available

Not Available

Not Available

Not Available